



117 R.W. Henry Drive, Ettamogah via Albury, NSW 2641 Australia
Phone 0437 871 181
Visy Paper Pty Ltd ACN 005 803 234 ABN 49 984 541 896
Visy Pulp and Paper Pty Ltd ABN 30 086 513 144
www.visy.com.au

Water Monitoring Data Report

15-Nov-24

The attached report contains the water monitoring data for all the licenced water monitoring points as required by the Environment Protection Licence 1272, for November 2024 as part of the reporting period July 2024 - June 2025.

Authorised by:


Matthew O'Donovan
HSE Manager


Johan Stoltz
General Manager

Latest Publication Date: 15-Nov-24

Monitoring Location No: 13

Environment Protection Licence: 1272

Description: 4 Day Pond Outlet - Quality

Reporting Period: July 2024 to June 2025

Monitoring Type: Grab Sample

Sample Type: Water

Month	Parameter	Units	Concentration Limit	Frequency	Date of Sample	Date of Report	Report No.	Data
Jul-24	BOD	mg/L	N/A	1st Period	15-Jul-24	29-Jul-24	24/0677	4
	Nitrogen (total)	mg/L	N/A	1st Period	15-Jul-24	29-Jul-24	24/0677	1.1
	pH	pH	N/A	1st Period	15-Jul-24	29-Jul-24	24/0677	9.3
	Phosphorus (total)	mg/L	N/A	1st Period	15-Jul-24	29-Jul-24	24/0677	0.09
	TDS	mg/L	N/A	1st Period	15-Jul-24	29-Jul-24	24/0677	134
	TSS	mg/L	N/A	1st Period	15-Jul-24	29-Jul-24	24/0677	6
	Zinc	mg/L	N/A	1st Period	15-Jul-24	29-Jul-24	24/0677	0.01
Aug-24	BOD	mg/L	N/A	2nd Period	6-Aug-24	19-Aug-24	24/0798	2
	Nitrogen (total)	mg/L	N/A	2nd Period	6-Aug-24	19-Aug-24	24/0798	0.9
	pH	pH	N/A	2nd Period	6-Aug-24	19-Aug-24	24/0798	9.4
	Phosphorus (total)	mg/L	N/A	2nd Period	6-Aug-24	19-Aug-24	24/0798	0.20
	TDS	mg/L	N/A	2nd Period	6-Aug-24	19-Aug-24	24/0798	141
	TSS	mg/L	N/A	2nd Period	6-Aug-24	19-Aug-24	24/0798	10
	Zinc	mg/L	N/A	2nd Period	6-Aug-24	19-Aug-24	24/0798	0.06
Sep-24	BOD	mg/L	N/A	3rd Period	3-Sep-24	12-Sep-24	24/0895	4
	Nitrogen (total)	mg/L	N/A	3rd Period	3-Sep-24	12-Sep-24	24/0895	1.0
	pH	pH	N/A	3rd Period	3-Sep-24	12-Sep-24	24/0895	7.6
	Phosphorus (total)	mg/L	N/A	3rd Period	3-Sep-24	12-Sep-24	24/0895	0.06
	TDS	mg/L	N/A	3rd Period	3-Sep-24	12-Sep-24	24/0895	165
	TSS	mg/L	N/A	3rd Period	3-Sep-24	12-Sep-24	24/0895	8
	Zinc	mg/L	N/A	3rd Period	3-Sep-24	12-Sep-24	24/0895	0.02
Oct-24	BOD	mg/L	N/A	4th Period	1-Oct-24	10-Oct-24	24/1000	3
	Nitrogen (total)	mg/L	N/A	4th Period	1-Oct-24	10-Oct-24	24/1000	1.5
	pH	pH	N/A	4th Period	1-Oct-24	10-Oct-24	24/1000	7.8
	Phosphorus (total)	mg/L	N/A	4th Period	1-Oct-24	10-Oct-24	24/1000	0.10
	TDS	mg/L	N/A	4th Period	1-Oct-24	10-Oct-24	24/1000	199
	TSS	mg/L	N/A	4th Period	1-Oct-24	10-Oct-24	24/1000	10
	Zinc	mg/L	N/A	4th Period	1-Oct-24	10-Oct-24	24/1000	0.04
Nov-24	BOD	mg/L	N/A	5th Period	5-Nov-24	14-Nov-24	24/1126	0
	Nitrogen (total)	mg/L	N/A	5th Period	5-Nov-24	14-Nov-24	24/1126	3.8
	pH	pH	N/A	5th Period	5-Nov-24	14-Nov-24	24/1126	7.5
	Phosphorus (total)	mg/L	N/A	5th Period	5-Nov-24	14-Nov-24	24/1126	0.30
	TDS	mg/L	N/A	5th Period	5-Nov-24	14-Nov-24	24/1126	229
	TSS	mg/L	N/A	5th Period	5-Nov-24	14-Nov-24	24/1126	4
	Zinc	mg/L	N/A	5th Period	5-Nov-24	14-Nov-24	24/1126	0.01
Dec-24	BOD	mg/L	N/A	6th Period				
	Nitrogen (total)	mg/L	N/A	6th Period				
	pH	pH	N/A	6th Period				
	Phosphorus (total)	mg/L	N/A	6th Period				
	TDS	mg/L	N/A	6th Period				
	TSS	mg/L	N/A	6th Period				
	Zinc	mg/L	N/A	6th Period				
Jan-25	BOD	mg/L	N/A	7th Period				
	Nitrogen (total)	mg/L	N/A	7th Period				
	pH	pH	N/A	7th Period				
	Phosphorus (total)	mg/L	N/A	7th Period				
	TDS	mg/L	N/A	7th Period				
	TSS	mg/L	N/A	7th Period				
	Zinc	mg/L	N/A	7th Period				
Feb-25	BOD	mg/L	N/A	8th Period				
	Nitrogen (total)	mg/L	N/A	8th Period				
	pH	pH	N/A	8th Period				
	Phosphorus (total)	mg/L	N/A	8th Period				
	TDS	mg/L	N/A	8th Period				
	TSS	mg/L	N/A	8th Period				
	Zinc	mg/L	N/A	8th Period				
Mar-25	BOD	mg/L	N/A	9th Period				
	Nitrogen (total)	mg/L	N/A	9th Period				
	pH	pH	N/A	9th Period				
	Phosphorus (total)	mg/L	N/A	9th Period				
	TDS	mg/L	N/A	9th Period				
	TSS	mg/L	N/A	9th Period				
	Zinc	mg/L	N/A	9th Period				
Apr-25	BOD	mg/L	N/A	10th Period				
	Nitrogen (total)	mg/L	N/A	10th Period				
	pH	pH	N/A	10th Period				
	Phosphorus (total)	mg/L	N/A	10th Period				
	TDS	mg/L	N/A	10th Period				
	TSS	mg/L	N/A	10th Period				
	Zinc	mg/L	N/A	10th Period				
May-25	BOD	mg/L	N/A	11th Period				

	Nitrogen (total)	mg/L	N/A	11th Period
	pH	pH	N/A	11th Period
	Phosphorus (total)	mg/L	N/A	11th Period
	TDS	mg/L	N/A	11th Period
	TSS	mg/L	N/A	11th Period
	Zinc	mg/L	N/A	11th Period

Jun-25	BOD	mg/L	N/A	12th Period
	Nitrogen (total)	mg/L	N/A	12th Period
	pH	pH	N/A	12th Period
	Phosphorus (total)	mg/L	N/A	12th Period
	TDS	mg/L	N/A	12th Period
	TSS	mg/L	N/A	12th Period
	Zinc	mg/L	N/A	12th Period

General Note: Limits are not applicable to this monitoring point

ND - No Data

N/A-Not Applicable

VP Albury - Groundwater Monitoring Bores - Depth



Latest Publication Date: 15-Oct-24
Monitoring Location No: 14 to 23
Description: Groundwater Monitoring Bores - Depth
Monitoring Type: Grab Sample

Environment Protection Licence: 1272
Reporting Period: July 2024 to June 2025
Sample Type: Depth

Month	Date of Sample	Units	Bore No											
			D3	D4	D5	D6	S7	S8	S11	S17	S20	S21		
Jul-24	15-Jul-24	m	44.70	45.70	45.00	45.20	Note 1	Note 1	Note 1	2.23	6.70	Note 1	Note 1	Note 1
Oct-24	1-Oct-24	m	44.70	44.70	45.00	42.70	Note 1	Note 1	2.23	9.50	9.50	Note 1	Note 1	9.50
Jan-25		m												
Apr-25		m												

General Note: Limits are not applicable to this monitoring point

Note 1- Bore empty

Note 2- All readings taken from top of casing

VP Albury - Groundwater Monitoring Bores - Quality



Latest Publication Date: 15-Oct-24

Monitoring Location No: 14 to 23

Description: Groundwater Monitoring Bores - Quality

Monitoring Type: Grab Sample

Environment Protection Licence: 1272

Reporting Period: July 2024 to June 2025

Sample Type: Water

Month	Parameter	Units	Freq	Date of Sample	Date of Report	Report No.	Bore No									
							D3	D4	D5	D6	S7	S8	S11	S17	S20	S21
Jul 24	Conductivity	µS/cm	1st Qrt	15-Jul-24	29-Jul-24	24/0677	976	3574	3445	845	Note 1	Note 1	8101	Note 1	Note 1	Note 1
	Nitrate	mg/L	1st Qrt	15-Jul-24	29-Jul-24	24/0677	0.0	1.0	0.0	0.0	Note 1	Note 1	0.0	Note 1	Note 1	Note 1
	Nitrogen (total)	mg/L	1st Qrt	15-Jul-24	29-Jul-24	24/0677	1.4	3.6	2.8	0.9	Note 1	Note 1	0.5	Note 1	Note 1	Note 1
	pH	pH	1st Qrt	15-Jul-24	29-Jul-24	24/0677	8.1	7.2	6.3	7.2	Note 1	Note 1	6.9	Note 1	Note 1	Note 1
	Phosphorus (total)	mg/L	1st Qrt	15-Jul-24	29-Jul-24	24/0677	0.20	0.03	0.02	0.02	Note 1	Note 1	0.06	Note 1	Note 1	Note 1
Oct 24	Conductivity	µS/cm	2nd Qrt	01-Oct-24	10-Oct-24	24/1000	936	3471	3192	742	Note 1	Note 1	7723	Note 1	Note 1	2594
	pH	pH	2nd Qrt	01-Oct-24	10-Oct-24	24/1000	7.2	6.7	7.3	8.0	Note 1	Note 1	7.1	Note 1	Note 1	6.9
Jan 25	Conductivity	µS/cm	3rd Qrt													
	pH	pH	3rd Qrt													
Apr 25	Conductivity	µS/cm	4th Qrt													
	pH	pH	4th Qrt													

General Note: Limits are not applicable to this monitoring point

Note 1 - Bore empty